

STL262D



Familie	Vaatwasser
Commerciële breedte	60 cm
Nishoogte	82 cm
Deur paneel	Niet meegeleverd
Aantal korven	2
Motor	Inverter 2.0
EAN-code	8017709337346



Programma's / functies



Aantal programma's	8	Eco	Ja
Wastemperatuur	50, 60 °C	Mix	Ja
Weken	Ja	Zelf reinigen	Ja
Snel - Volledig 60'	Ja	Intensief 60°	Ja
Snel 50°	Ja	Auto 50°-60°	Ja

Opties



Delay timer optie	Tot 24 uur, i.c.m. automatisch spoelen	Crystal option	Ja
Extreme option	Ja	Optie steriliseren	Ja

Korven

Kleur korven	Grijs	Maximum afmetingen bord dat in bovenste korf kan worden geladen	20,0 cm
Kleur korfcomponenten	Grijs	Onderkorf	2 inklapbare rekken
Handgreep	Op onder- en bovenkorf	Maximum afmetingen bord dat in onderste korf kan worden geladen	31.0 cm
Bovenkorf	Met 1 opvouwbaar rek	Kleur binnenonderdelen	Grijs
In hoogte verstelbare bovenkorf	On two levels (4 cm)		

Bestekmandje

Ja


Technische specificaties



Breedte product	596 mm
Diepte product	550 mm
Type display	3 cijfers
Hoogte product	818 mm
Bediening	Elektronisch
Display	Instelling Delay timer, Programma duur indicator
Grafische weergave programma's	Symbolen
Aan/uit indicator	Ja
Zout indicator	Indicator (lampje)
Glansspoelmiddel indicator	Indicator (lampje)
Indicator einde cyclus	Op display, met akoestisch signaal
Wassysteem	Standaard
Waterontkalker	Elektronisch instelbaar
Aquatest sensor	Ja
Overstroombeveiliging	Total Acquastop

Watertoevoer	Enkel; koud en warm water tot 60°C - energiebesparing tot 35%
Maximale waterhardheid	90°FH; 50°dH
Droogstelsysteem	Natural condenser drying, with Dry Assist automatic door opening system at the end of the cycle
Stoombeveiliging	Van kunststof
Materiaal kuip	RVS
Filter	RVS
Verborgen verwarmingselement	Ja
Scharnieren	Self balancing, Sliding, FLEXIFIT
Min. en max. frontaal paneelgewicht	2,5 - 10 kg
Min. en max. plinthoogte	40 - 175 mm
Verstelbare voetjes	8cm, from 820 to 900mm
Extra pakkingen	Ja
Diepte vaatwasser met open deur (mm)	1200
Voetjes achterzijde vanaf de voorkant regelbaar	Ja

Performance / Energy Label - Reg. 2019




Energie-efficiëntieklasse D (wascyclus)	
Energy consumption [per 100 cycles, based on the eco programme]	84 kWh
Nominale capaciteit (ps)	13
Water verbruik (per cyclus)	9,9 litres






















Programmaduur	4:00 h:min
Geluidsniveau	46 dB(A) re 1 pW
Akoestisch geluidsemisssieklasse	C
Energy efficiency Index (EEI)	49,9

Elektrische aansluiting

Stekker	(F;E) Schuko	Frequentie	50 Hz
Aansluitwaarde	1800 W	Type aansluiting	Single-phase
Stroom	10 A	Lengte voedingskabel	140 cm
Spanning	220-240 V		



Symbols glossary (TT)

	<p>Aquatest meet de helderheid van het water tijdens een automatisch programma en zorgt automatisch voor een minimaal verbruik van water en energie</p>		<p>82 cm high</p>
	<p>Vertragingstimer: De uitgestelde timer kan de start van het programma tot 24 uur uitstellen.</p>		<p>Energy efficiency class D</p>
	<p>Option which improves the washing results of the selected programme. It increases the wash temperature and duration.</p>		<p>The FlexiFit hinges allow the kitchen panel to slide over the dishwasher door, allowing a minimum kitchen plinth height of 5 cm.</p>
	<p>This option provides special care for a delicate load. It prevents rapid changes in the wash temperature of the selected programme and reduces it to 4</p>		<p>The work aimed at continuous improvement has allowed the creation of the second generation of the Inverter motor 2.0, characterised by greater efficiency and durability over time, which allows very high performance and a lower energy consumption and noise level.</p>
	<p>Noise Level: Excellent insulation and special devices keep noise to a minimum.</p>		<p>Wash cycle for normally soiled mixed loads such as dishes and pans, even with dried-on residues. When this program is selected, the dishwasher recognises the type of dirt and automatically adjusts the washing parameters as appropriate.</p>
	<p>Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.</p>		<p>A quick programme suitable for washing a load with fresh and light soil.</p>
	<p>Quick wash cycle for normally soiled mixed loads such as dishes and pans, even with dried-on residues. Dishes are washed and dried in 60 minutes.</p>		<p>Programme suitable for washing and drying heavily soiled items with encrusted residues.</p>
	<p>Mix: The Mix programme is suitable for mixed crockery and everyday pots and pans, without any particular incrustation.</p>		<p>Dishwasher cleaning cycle. The cycle should be started with the machine empty, without dishes. It is recommended to run the program every 2-3 months, using special dishwasher detergents.</p>
	<p>Soak programme: The soak programme provides a rinse to prevent dirt from drying.</p>		<p>13 place settings: Number of place settings.</p>
	<p>Option which provides better cleaning results by keeping the temperature between 65 and 70°C for at least 10 minutes during the last rinsing phase.</p>		<p>Total Acquistop: In addition to the partial Acquistop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary.</p>
	<p>System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.</p>		